



Australian Government



Preparing for COVID-19 vaccination

Make sure your details are correct

While you wait for your appointment, there are some things you can do now to get ready.

Make sure your details are [up to date with Medicare](#). You can do this using either your:

- [Medicare online account](#) through [myGov](#)
- the [Express Plus Medicare app](#).
- calling the [Medicare program](#).

If you don't have your account set up, you can:

- [Enrol in Medicare](#), if you're not already enrolled.
- [Set up](#) your Medicare online account, if you're enrolled in Medicare, but don't have Medicare linked to myGov.
- [Get an Individual Health Identifier \(IHI\)](#), if you're not eligible for Medicare.

Once you've had your vaccine, you'll be able to get an immunisation history statement to prove your vaccination status. You can find out [how to get your immunisation history statement](#) on the Services Australia website.

Getting ready for your appointment

There is a limited supply of COVID-19 vaccines in Australia and globally. This means, people who have the highest risk of severe COVID-19 and/or exposure to the virus will receive the vaccine first. Other people will receive vaccine over time. Find out who will be prioritised for vaccination by visiting www.health.gov.au/covid19-vaccines.

You should **not** attend a COVID-19 vaccination appointment if you:

- Are unwell with fever, cough, runny nose or other symptoms that could be from COVID-19.
- Are awaiting COVID-19 test results.
- Have tested positive with COVID-19 and you are in isolation.
- Are in quarantine.
- Are a close contact of someone with COVID-19.



If you fall into any of the above categories, check with your immunisation provider. You may need to reschedule your appointment for vaccination. COVID-19 vaccines are not effective at treating COVID-19.

If you have had another vaccine in the 14 days before your COVID-19 vaccine appointment, tell your immunisation provider. Your immunisation provider may ask you to reschedule your appointment.

You are not required to test for COVID-19 before vaccination if you do not have a fever or any respiratory symptoms.

Plan ahead for two doses

It is important that you receive two doses of your COVID-19 vaccine at least three weeks apart. Full protection against COVID-19 will not occur until about a week after your second dose.

What to expect at your vaccination appointment

You should bring the following to your COVID-19 vaccination appointment:

- Photo ID, if you have one.
- Medicare card, if you have one.
- Employee ID, if you are getting a COVID-19 vaccine because of your occupation.
- Information about any of your medical conditions, allergies, bleeding disorders or immunocompromise (i.e. weakened immune system).
- Information about any medications you are taking.
- Information about any previous COVID-19 vaccine received (vaccine brand and date of vaccination).
- Information about any reactions you have had to any vaccine in the past.
- Name of your current GP/s and any specialist doctors you see.
- A face mask (if required by your state/territory).

At your appointment, you will be able to discuss any questions you have about COVID-19 vaccination with your immunisation provider.

Tell your immunisation provider if you have any medical conditions or if you are taking any medications. Especially make sure to tell them if you:

- Have had anaphylaxis (a type of severe allergic reaction) to any substance, or if you have an adrenaline autoinjector (e.g. EpiPen).
- Have had a reaction to any vaccine in the past.
- Have a bleeding disorder or are receiving anticoagulant therapy (a blood thinner).
- Are pregnant, breastfeeding or planning pregnancy.
- Are immunocompromised (i.e. have a weakened immune system or take immune suppressing medication).
- Have received another COVID-19 vaccine (and which brand).
- Have received any vaccine in the last 14 days.

In some circumstances, it may be better to have a discussion with your healthcare provider about vaccination before making an appointment for vaccination. You can also read the *Information on COVID-19 Pfizer (Comirnaty) vaccine*.

How you will receive the vaccine

You will receive the vaccine as an injection, most commonly into your upper arm muscle. You must remain in the vaccination clinic for observation for at least 15 minutes after vaccination. Depending on your medical history, you may be asked to wait in the clinic for 30 minutes.

How is the information you provide at your appointment used

For information on how your personal details are collected, stored and used visit <https://www.health.gov.au/covid19-vaccines>



COVID-19 Consent Form (Astra Zeneca)

Please print and hand this form to Reception Staff upon arrival

Patient Information

Name:

Medicare Number:

Date of Birth:

Sex

Address:

Contact Telephone Number:

E-mail

Are you Aboriginal and/or
Torres Strait Islander?

Yes

No

Prefer not to answer

Next of Kin (in case of Emergency)

Name:

Contact Telephone Number:

Relationship:

Consent to receive the COVID-19 vaccine

I confirm I have received and understood information provided to me on COVID-19 vaccination	Agree
I agree to receive a 2 dose course of Astra Zeneca COVID-19 vaccine	

Patient Name:

Patient Signature:

Date:

I am the patient's legal guardian or legal substitute decision-maker, and agree to COVID-19 vaccination of the patients named above

Legal guardian/substitute
decision-makers name:

Legal guardian/substitute
decision-makers signature:

Date:

	Yes	No
Have you had an allergic reaction to a previous dose of a COVID-19 vaccine?		
Have you had anaphylaxis to another vaccine or medication?		
Have you had a serious adverse event, that following expert review was attributed to a previous dose of a COVID-19 vaccine?		
Have you ever had mastocytosis which has caused recurrent anaphylaxis?		
Have you had COVID-19 infection before?		
Do you have a bleeding disorder?		
Do you take medication to thin your blood (an anticoagulant therapy)?		
Do you have a weakened immune system (immunocompromised)?		
Are you pregnant or think you may be pregnant?		
Have you been sick with a cough, Sore throat, fever, or feeling sick in another way?		
Have you had a COVID-19 vaccination before?		
Have you recieved any other vaccine in the last 7 days?		
Have you ever been diagnosed with capillary leak syndrome?		
Have you ever had major venous and/or arterial thrombosis in combination with thrombocytopenia, including diagnosed Thrombotic Thrombocytopenic Syndrome (TTS), following a previous dose of COVID-19 vaccine?		
Have you had a cerebral venous sinus thrombosis?		
Have you had heparin-induced thrombocytopenia?		
Have you ever had blood clots in the abdominal veins (splanchnic veins)?		
Have you ever had antiospholipid syndrome associated with blood clots?		
Are you under 60 years of age?		

If you answer “Yes” to any of the questions above, please make an appointment with one of our GP’s to discuss whether the vaccination is suitable for you. If appropriate, you will be able to book for your vaccination after this appointment.

*** BELOW THIS LINE | FOR STAFF USE ONLY ***

	DOSE 1	DOSE 2
Date Vaccine Administered:	<input type="text"/>	<input type="text"/>
Time Received:		
COVID-19 Vaccine Brand:		

Batch Number:

Serial Number:

Site of Vaccine Injection:

Vaccination Service Provider: